


3707

Package Dimensions(mm)



Notes:

All dimension units are millimeters.

All dimension tolerance is ± 0.2 mm unless otherwise noted.

An epoxy meniscus may extend about 1.5mm down the leads.

Burr around bottom of epoxy may be 0.5mm max.

Synopsis: 4.8mm Round Type Water Clear Lens

Blue LED Lamp


3707						
ITEMS						UNIT
Wavelenght	450-455	455-460	460-465	465-470	470-475	nm
Voltage	3.0-3.2	3.0-3.2	3.2-3.4	3.2-3.4	3.0-3.2	V
Brigthness	500-1000	1000-2000	500-1000	1000-2000	1000-2000	mcd
ITEMS	MIN	TYP.		MAX.	UNIT	
Reverse Current	---	---		1,1	µA	
50% Power Viewing Angle	29	30		33	deg	
■ Absolute Maximum Ratings at (Ta = 25°C)						
	SYMBOL	ABSOLUTE MAXIMUM RATING			UNIT	
Forward Current	IF	50			mA	
Peak Forward Current	IFP	220			mA	
Continuous Forward Current	IL	20			mA	
Reverse Voltage	VR	5			V	
Power Dissipation	PD	170			mW	
Operation Temperature	Topr	-40 ~ +80				
Storage Temperature	Tstg	-40 ~ +80				
Lead Soldering Temperature	Tsol	Max.260°C for 5 sec Max.				

IFP Conditions: Pulse Width≤10msec duty≤1/10

Tsol Conditions: 4mm from the base of the epoxy bulb



3707

Spatial Distribution




Reliability Performance


Test Classification	Test Item	Test Conditions	Test Duration	Sample Size	Standard
Life Test	Life Test	Ta=25°C±5°C, IF=20mA	1000(hrs)	10PCS	
Environment Test	Thermal Shock Test	-10 ±5 ←→ +100 ±5 5min. 10sec. 5min.	100(cycles)	10PCS	
	Temperature Cycle Test	-55 ±5 ←→ +85 ±5 30min. 5min. 30min.	100(cycles)	10PCS	
	High Temperature & High Humidity Test	Ta=85°C±5°C RH =85%±0.5 %RH	240(hrs)	10PCS	
	High Temperature Storage	Ta=100°C±5°C	1000(hrs)	10PCS	
	Low Temperature Storage	Ta=-55°C±5°C	1000(hrs)	10PCS	
Mechanical Test	Resistance to Soldering Heat	Ta=260°C±5°C	5 (sec.)	10PCS	
	Lead Integrity	0° ~ 90° ~ 0°	3(times)	10PCS	

Typical Optical/Electrical Characteristics Curves ($T_a=25^\circ\text{C}$ Unless Otherwise Noted)


Current-Voltage Curve



Current-Luminous intensity Curve



Current-Luminous flux Curve



Relative Spectral Distribution Curve